L Number	Hits	Search Text	DB	Time stamp
14	51	((determin$3 or select$3 or choos$3) near3 modulation) and (455/69.ccls. or 455/552.ccls. or 455/553.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/01 13:22
-	47	asymmetric and downlink and uplink and modulation and demodulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/01 13:20
-	32	(asymmetric and downlink and uplink and modulation and demodulation) and modems	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 13:25
-	189	(mobile adj (station or phone) near modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 13:42
-	4	((mobile adj (station or phone) near modem)) and (signal near quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 14:11
-	0	((mobile adj (station or phone) near modem)) and (link near quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 14:11
-	3	((mobile adj (station or phone) near modem)) and (link with quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:23
-	0	((mobile adj (station or phone) near modem)) and (signal adj to adj noise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:25
-	0	(asymmetric and downlink and uplink and modulation and demodulation) and (signal adj to adj noise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:25
-	11	(asymmetric and downlink and uplink and modulation and demodulation) and (signal-to-noise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 17:05
-	455	customer and premises and equipment and (asymmetric or twisted-pair-system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 17:03
-	332	(customer and premises and equipment and (asymmetric or twisted-pair-system)) and modems	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 17:04
-	153	((customer and premises and equipment and (asymmetric or twisted-pair-system)) and modems) and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 17:05

-	17	(((customer and premises and equipment and (asymmetric or twisted-pair-system)) and modems) and wireless) and (signal-to-noise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:21
-	4200	process near (singal quality or (signal-to-noise))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:22
-	10	(process near (singal quality or (signal-to-noise))) and (uplink and downlink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:38
-	3	((process near (singal quality or (signal-to-noise))) and (uplink and downlink)) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:39
-	400	((base adj station) near processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:46
-	163	(processor near ((handset) or (mobile adj phone) or (subscriber adj unit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:48
-	6	(((base adj station) near processor)) and ((processor near ((handset) or (mobile adj phone) or (subscriber adj unit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:48
-	1	((((base adj station) near processor)) and ((processor near ((handset) or (mobile adj phone) or (subscriber adj unit))))) and (SNR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 11:48
-	55	"5638371"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:18
-	528	determine adj modulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:18
-	27	(determine adj modulation) and asymmetric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:26
-	6381	(QAM or QPSK) with modulations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:15
-	410	determin$3 with (modulation near (techniques or schemes))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:17

-		0	((determin$3 with (modulation near (techniques or schemes))) and (Uplink and downlink)) and asymmetric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:18
-		49	(determin$3 with (modulation near (techniques or schemes))) and (Uplink and downlink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:18
-		32	((determin$3 with (modulation near (techniques or schemes))) and (Uplink and downlink)) and ((link or signal) with quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:29
-		0	(((determin$3 with (modulation near (techniques or schemes))) and (Uplink and downlink)) and ((link or signal) with quality)) and ((processor near ((handset) or (mobile adj phone) or (subscriber adj unit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 16:29
-		0	(asymmetric and downlink and uplink and modulation and demodulation) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 17:43
-		0	(asymmetric near (downlink and uplink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 17:43
-		4	QAM-256 and QAM-64 and QAM-16 and QPSK	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 10:32
-		2	(QAM-256 and QAM-64 and QAM-16 and QPSK) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 13:28
-		3249	455/69.ccls. or 455/552.ccls. or 455/553.ccls. or 455/102.ccls. or 375/22.ccls. or 375/224.ccls. or 375/285.ccls. 375/227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 13:46
-		6	BER near module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 13:51
-		3	SNR near module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 13:57
-		4	((determine with (Bit-Error-Rate or BER)) with module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 13:59